




## WHEELS AND TIRES



MOUNTING HARDWARE SUPPLIED WITH AXLE.

1 ASSEMBLY

TOLERANCES	
UNLESS OTHERWISE SPECIFIED	
FRACTIONS +/-	
3 PLACE DECIMALS +/-	
2 PLACE DECIMALS +/-	
1 PLACE DECIMALS +/-	
ANGLES	
SEE SWINGMASTER SPECIFICATION	
G-1 FOR TOLERANCES NOT SPECIFIED	
DIMENSIONS ARE IN INCHES	
DO NOT SCALE DRAWING	
SCALE: 1/2	

SWINGMASTER CORPORATION	
11415 MELROSE AVENUE FRANKLIN PARK, ILLINOIS 60131	
WHEEL & TIRE ASS'Y	
FOR MODEL 181	
DRAWN BY: B.W.	DRAWING
DATE: 2-5-88	C4-47

2	2-22-88
REV.NO.	DATE

SWINGMASTER CORPORATION

PARTS BOOK

MACHINE

SECTION

4

MODEL 181 SWINGLOADER

WHEELS AND TIRES


ASSEMBLY  
NUMBER

DESCRIPTION

1802739

WHEEL &amp; TIRE ASSY - HRL 14.00-24 24PR SD

ITEM NO.	PART NUMBER	DESCRIPTION	QTY. USED
2	1800397	10.00W - 24 RIM - SINGLE DISH	1.00
3	1801672	HARD ROCK LUG 14.00-24 X 24 PR	1.00
4	1801673	TUBE AND FLAP (HARD ROCK LUG TIRE)	1.00
5	1802740	TUBE SPUD ADAPTER	1.00
6	1801675	VALVE STEM	1.00
7	1801676	VALVE ADAPTER	1.00
8	1800352	AIR VALVE CAP	1.00



CENTER LINE OF RIM

1 ASSEMBLY

SWINGMASTER CORPORATION

PARTS BOOK

MACHINE

SECTION

4

MODEL 181 SWINGLOADER

WHEELS AND TIRES

ASSEMBLY  
NUMBER

DESCRIPTION

1800397

10.00W - 24 RIM - SINGLE DISH

ITEM NO.	PART NUMBER	DESCRIPTION	QTY. USED
2	8700021	FLANGE	1
3	8700022	LOCK RING	1